

Johanson Company: Johanson Technology inc. Product Release Date: 03 August, 2011

Deprecated P/N: 0868BM15C0001-EBSMA

Web Page Link:

<https://johansontechnology.com/chipset-specific>

Datasheet Date: 04-17-2024

Thickness (Max): 0.032

Description: RF Matched Baluns, Eval Board, 805,
863-873MHz, 1W, 2.1dB, Ag/Pt (RoHS),
Matched/Balun/LPF Integrated Component for T.I.,
Non-Conductive Bags

Thickness (Min): 0.024

End Band (Min):

Life Cycle Stage: Active - Production

End Band (Max):

Schedule B: 8534

Standard Item: 1

ECCN: EAR99

Lead Time Typical (Weeks)*:

*This can vary significantly so it is important
to obtain a quotation with lead time for
production planning purposes. 20

RoHS Compliance: Yes, RoHS 10/10

Length (Min): 0.075

REACH: 1

Length (Max): 0.083

Country of Origin: TW

Width (Min): 0.045

Product Family: Integrated Passive Components

Width (Max): 0.053

Product Subfamily: RF Matched Baluns

Packaging: Non-Conductive Bags

Marking: Special

Packaging Qty: 1

Operating Temp Range: -40°C to +85°C

Storage Temp Range (Packaged): -65°C to
+125°CStorage Temp Range (Non Operating): +5°C to
+40°C with RH 20% to 70%