

Johanson Product Information for 2450PD14B0100001CE1

**Johanson Company: Johanson Technology inc.** Product Release Date: 11 November, 2016

Deprecated P/N: 2450PD14B0100-EB

Web Page Link:

<https://johansontechnology.com/power-dividers>

Datasheet Date: 03-02-2024

Thickness (Max): 0.028

Description: Power Divider, Eval Board, 603,  
2400-2500MHz, 3W. 4dB, Ni/Sn (RoHS), 2.45GHz  
Power Divider, Non-Conductive Bags

Thickness (Min): 0.020

End Band (Min):

Life Cycle Stage: Active - Production

End Band (Max):

Schedule B: 8534

Lead Time Typical (Weeks)\*:

\*This can vary significantly so it is important  
to obtain a quotation with lead time for  
production planning purposes. 14

ECCN: EAR99

RoHS Compliance: Yes, RoHS 10/10

Length (Min): 0.059

Country of Origin: TW

Length (Max): 0.067

Product Family: Integrated Passive Components

Width (Min): 0.027

Product Subfamily: Power Divider

Width (Max): 0.035

Capacitance Value: 0.000

Packaged Weight (lb) Arm: 0.00

Voltage: 0.0

Packaging: Non-Conductive Bags

Marking: Special

Packaging Qty: 1

Operating Temp Range: -40°C to +85°C

Storage Temp Range (Packaged): -65°C to  
+125°C

Storage Temp Range (Non Operating): +5°C to  
+40°C with RH 20% to 70%