



Johanson Product Information for 4550BL14A0100001T

Johanson Company: Johanson Technology inc.

Deprecated P/N: 4550BL14A0100T

Datasheet Date: 05-28-2023

Description: RF Baluns, 603, 3200-6000MHz, 1W, 1.2/1.4, Ni/Sn (RoHS), 3.2 - 6.0 GHz
Wideband Ceramic Balun, 1:2 Impedance Ratio, EIA 0603, 7" Reel Paper Tape

Life Cycle Stage: Active - Production

AEC Q200 Qualified: No

Schedule B: 8534.00.0085

Harmonization Code: 8534.00.00.85

ITAR: No

ECCN: EAR99

RoHS Compliance: Yes, RoHS 10/10

REACH: Yes

Country of Origin: TW

Product Family: Integrated Passive Components

Product Subfamily: RF Baluns

Termination: Ni/Sn (RoHS)

Marking: Special

Product Release Date: 05 November, 2020

NCNR: No

Thickness (Max): 0.028

Thickness (Min): 0.020

End Band (Min): 0.004

End Band (Max): 0.012

Standard Item: No

Lead Time Typical (Weeks)*:

*This can vary significantly so it is important to obtain a quotation with lead time for production planning purposes. 14

Length (Min): 0.059

Length (Max): 0.067

Width (Min): 0.027

Width (Max): 0.035

Packaging: 7" Reel Paper Tape

Packaging Qty: 4000

Operating Temp Range: -40°C to +105°C

Storage Temp Range (Packaged): +5°C to +35°C with RH 45% to 75%

Storage Temp Range (Non Operating): -40°C to +105°C