



Lead Time Typical (Weeks)\*:

production planning purposes. 9

Packaging: Bulk

Operating Temp Range: -55°C to +125°C

## Johanson Product Information for ACDF202G560M1GV002B

Johanson Company: Johanson Dielectrics inc. Product Release Date: 04 January, 2006

Deprecated P/N: 202S41N560MV4+AQ-\*\*\*\*-AC Web Page Link:

https://www.johansondielectrics.com/ac-power-

Datasheet Date: 03-28-2024 capacitors

Description: AC Power Capacitors, 1210, NP0/C0G Size for Capacitors (EIA): 1210

cap, 2,000.0V, 56.00pF±20% cap, Ni/Sn (RoHS)

ECCN: EAR99

Cap Unit of Meas: pF

Marking: No Mark

cap, Bulk cap, AEC Q200 Qualified Thickness (Max): 0.080

Life Cycle Stage: Active - Production End Band (Min):

AEC Q200 Qualified: 1 End Band (Max):

Schedule B: 8532 Standard Item: 1

\*This can vary significantly so it is important to obtain a quotation with lead time for RoHS Compliance: Yes, RoHS 10/10

REACH: 1 Length (Min): 0.115

Product Family: Capacitors Length (Max): 0.135

Product Subfamily: Capacitors AC Power Width (Min): 0.085

Capacitance Value: 56.000 Width (Max): 0.105

Tolerance: ±20%

Voltage: 2000.0 Storage Tomp Bange (Backaged): 65°C to

Storage Temp Range (Packaged): -65°C to

+125°C Dielectric Temp Coefficient: NP0/C0G

\_\_\_\_\_Storage Temp Range (Non Operating): +5°C to

Termination: 68 +40°C with RH 20% to 70%