



Size for Capacitors (EIA): 1825

Lead Time Typical (Weeks)\*:

Operating Temp Range: -55°C to +125°C

Length (Min): 0.170

Thickness (Max): 0.140

## Johanson Product Information for ACDV302W822X1GV001E

Johanson Company: Johanson Dielectrics inc. Product Release Date: 10 January, 2006

Deprecated P/N: 302S49W822ZV4E-\*\*\*\*-AC Web Page Link:

https://www.johansondielectrics.com/ac-power-Datasheet Date: 07-27-2024 capacitors

Description: AC Power Capacitors, 1825, X7R cap,

3,000.0V, 8,200.00pF+80%/-20% cap, Ni/Sn (RoHS) cap, 7" Reel Embossed Tape cap

ECCN: EAR99

Tolerance: +80%/-20%

Marking: No Mark

Life Cycle Stage: Active - Production End Band (Min):

Schedule B: 8532 End Band (Max):

\*This can vary significantly so it is important to obtain a quotation with lead time for RoHS Compliance: Yes, RoHS 10/10 production planning purposes. 9

REACH: 1

Country of Origin: MX or US Length (Max): 0.190

**Product Family: Capacitors** Width (Min): 0.240

Product Subfamily: Capacitors AC Power Width (Max): 0.260

Capacitance Value: 8200.000 Packaging: 7" Reel Embossed Tape

Cap Unit of Meas: pF

Storage Temp Range (Packaged): -65°C to

+125°C Voltage: 3000.0

Storage Temp Range (Non Operating): +5°C to Dielectric Temp Coefficient: X7R

+40°C with RH 20% to 70%

Termination: 68