Johanson Part Number QSCF500Q1R2B1GV001T

Description: Capacitors High-Q MLC S-Series, 0402, Hi-Q NP0/C0G, 50V, 1.2pF±0.1pF, Ni/Sn (RoHS), 7" Reel Paper Tape Life Cycle Stage: Active AEC Q200 Qualified: No Thick	ze for Capacitors (EIA): 0402 pecification Number: 35S0118E CNR: No nickness (Max): 0.024 nickness (Min): 0.016 nd Band(Min): 0.00
Hi-Q NP0/C0G, 50V, 1.2pF±0.1pF, Ni/Sn (RoHS), 7" Reel Paper Tape Life Cycle Stage: Active AEC Q200 Qualified: No This	CNR: No nickness (Max): 0.024 nickness (Min): 0.016
AEC Q200 Qualified: No This	nickness (Max): 0.024 nickness (Min): 0.016
	nickness (Min): 0.016
Sahadula P: 9522 24 00 20	
OUTIQUIE D. 0032.24.00.20 I III	nd Band(Min): 0.00
ITAR: No End	
ECCN: EAR99 End	nd Band (max): 0.016
RoHS Compliance: Yes, RoHS 10/10 Sta	andard Item: Yes
REACH: Yes Lea	ead Time Typical (Weeks)*: 8
Country of Origin: US Ler	ength (Min): 0.036
Product Family: Capacitors Ler	ength (Max): 0.044
Product Subfamily: Capacitors High-Q MLC S-Series Wic	idth (Min):0.016
Capacitance Value: 1.200 Wid	idth (Max): 0.024
Cap Unit of Meas: pF Par	art Weight (mg): 1.18
Tolerance: ±0.1pF Page	ackaged Width (lb) Arm: 0.30
Voltage: 50.0 Pag	ackaging: 7" Reel Paper Tape
Dielectric Temp Coefficient: Hi-Q NP0/C0G Page	ackaging Qty: 10000
Termination: 68 Ope	perating Temp Range: -55°C to +150°C
Marking: No Mark Sto	orage Temp Range (Packaged): -65°C to +150°C
	orage Temp Range (None Operating): +5°C to 0°C with RH 20% to 70%

Harmonization: 8532.24.00.20

Web Page Link: https://www.johansontechnology.com/R075

Printed from: www.johansontechnology.com/search/pn-detail/QSCF500Q1R2B1GV001T/

^{*}This can vary significantly so it is important to obtain a quotation with lead time for production planning purposes.