Johanson Part Number QSCT251Q8R2D1GV001E

Description: Capacitors High-Q MLC S-Series, 0805, Hi-Q NP0/C0G, 250V, 8.2pF±0.5pF, Ni/Sn (RoHS), 7" Reel Embossed Tape Life Cycle Stage: Active - Production NCI	ze for Capacitors (EIA): 0805 pecification Number: 35S0118E
Hi-Q NP0/C0G, 250V, 8.2pF±0.5pF, Ni/Sn (RoHS), 7" Reel Embossed Tape Life Cycle Stage: Active - Production NCI	pecification Number: 35S0118E
AEC 0200 Qualified: No	CNR: No
AEG Q200 Qualified. No	nickness (Max): 0.046
Schedule B: 8532.24.00.20 Thic	nickness (Min): 0.034
ITAR: No End	nd Band(Min): 0.01
ECCN: EAR99 End	nd Band (max): 0.030
RoHS Compliance: Yes, RoHS 10/10 Star	andard Item: Yes
REACH: Yes Lea	ead Time Typical (Weeks)*: 8
Country of Origin: US Len	ength (Min): 0.072
Product Family: Capacitors Len	ength (Max): 0.088
Product Subfamily: Capacitors High-Q MLC S-Series Wid	idth (Min):0.042
Capacitance Value: 8.200 Wid	idth (Max): 0.058
Cap Unit of Meas: pF Par	art Weight (mg): 12.00
Tolerance: ±0.5pF Pag	ackaged Width (lb) Arm: 0.30
Voltage: 250.0 Pag	ackaging: 7" Reel Embossed Tape
Dielectric Temp Coefficient: Hi-Q NP0/C0G Pac	ackaging Qty: 4000
Termination: 68 Ope	oerating Temp Range: -55°C to +150°C
Marking: No Mark Sto	orage Temp Range (Packaged): -65°C to +150°C
	orage Temp Range (None Operating): +5°C to 40°C with RH 20% to 70%

Harmonization: 8532.24.00.20

Web Page Link: https://www.johansontechnology.com/R15S

Printed from: www.johansontechnology.com/search/pn-detail/QSCT251Q8R2D1GV001E/

^{*}This can vary significantly so it is important to obtain a quotation with lead time for production planning purposes.