

# Johanson Part Number 2500BL07A0100001T

|   |   |
|---|---|
| Johanson Part Number: 2500BL07A0100001T   | Johanson Company: JTI   |
| Legacy P/N: 2500BL07A0100T  | Size for Capacitors (EIA): None                                       |
| Description: RF Baluns, 402, 2500MHz, W, , Ni/Sn (RoHS), low insertion loss, 7" Reel Paper Tape | Specification Number: None  |
| Life Cycle Stage: Under development - Can be forecasted (no orders accepted)                    | NCNR: No  |
| AEC Q200 Qualified: No  | Thickness (Max): None   |
| Schedule B: 8534.00.00.85   | Thickness (Min): None   |
| ITAR: No  | End Band(Min): None   |
| ECCN: EAR99   | End Band (max): None  |
| RoHS Compliance: Yes, RoHS 10/10  | Standard Item: Yes  |
| REACH: Yes  | Lead Time Typical (Weeks)*: 16  |
| Country of Origin: TW   | Length (Min): None  |
| Product Family: Integrated Passive Components   | Length (Max): None  |
| Product Subfamily: RF Baluns  | Width (Min):None  |
| Capacitance Value: None   | Width (Max): None   |
| Cap Unit of Meas: None  | Part Weight (mg): None  |
| Tolerance: None   | Packaged Width (lb) Arm: None   |
| Voltage: None   | Packaging: 7" Reel Paper Tape   |
| Dielectric Temp Coefficient: None   | Packaging Qty: 10000  |
| Termination: 0  | Operating Temp Range: -40°C to +85°C                                  |
| Marking: Special  | Storage Temp Range (Packaged): -65°C to +125°C                        |
| Product Release Date: None  | Storage Temp Range (None Operating): +5°C to +40°C with RH 20% to 70% |
| Harmonization: 8534.00.00.85  |   |

\*This can vary significantly so it is important to obtain a quotation with lead time for production planning purposes.

Printed from: <https://www.johansontechnology.com/part/2500BL07A0100001T/>